

भारत सरकार
Government of India
केन्द्रीय जल आयोग
Central Water Commission
बाढ़ पूर्वानुमान प्रबोधन निदेशालय
Flood Forecast Monitoring Directorate

Tele : 011-29583829, 29583545


e-mail : fmdte@nic.in, fmcwc@gmail.com


भू तल, विंग 7, पश्चिमी खण्ड-2,
रामाकृष्ण पुरम, नई दिल्ली-110066

विषय : दिनांक ...12-07-2024..... की समाचार की कतरन (News Clippings) प्रस्तुत करने के सम्बन्ध में ।

मानसून/ बाढ़ सम्बन्धी समाचारों की कतरन (News Clippings) अवलोकन हेतु प्रस्तुत हैं :

संलग्न : उपरोक्तानुसार


(सहायक निदेशक) 12/07/2024 EAD (HM)


उपनिदेशक

निदेशक (बा.प.प्र.)

बांध टूटा, ग्रामीण हुए बेघर, पानी में डूबे घर

नहर को मंटेन करने वाले
विभाग पर उठे कई सवाल

पानी बढ़ता देख लोग बच्चों
को लेकर घर से बाहर निकले

दीवार करीब 20-22 फुट
तक टूटी है, लोग परेशान



मुनक नहर, बवाना जेजे कॉलोनी के पास
गुरुवार रात करीब एक बजे टूट गई।
टूटने से जेजे कॉलोनी J, K, L, M समेत
आसपास के ब्लॉकों में पानी भर गया।

द्वारका के लोगों को पानी की किल्लत

■ प्रमुख संवाददाता, नई दिल्ली

बवाना स्थित हनुमान मंदिर के पास बुधवार रात 12 बजे के करीब मुनक नहर (कैरियर लाइन चैनल, सीएलसी) टूट गई, जिससे चार वॉटर ट्रीटमेंट प्लांटों में गुरुवार सुबह पानी उत्पादन बंद हो गया। जल बोर्ड ने दोपहर बाद दूसरी

नहर (दिल्ली सब-ग्रॉउंड, डीएसबी) से पानी डायवर्ट कर प्लांटों में भेजा। इसके बाद थोड़ा-बहुत पानी उत्पादन हो सका। हरियाणा से दिल्ली को रोजाना जितना पानी मिलता है, उसका 66-67 प्रतिशत पानी मुनक नहर के इसी सीएलसी नहर से आता है। नहर के



टूटने से सबसे अधिक प्रभावित द्वारका वॉटर ट्रीटमेंट प्लांट हुआ है।

32% शुद्ध पानी का चार प्लांटों से ही उत्पादन होता है: जल बोर्ड अफसरों के अनुसार बुधवार रात 12 बजे के बाद बवाना के इरादत नगर स्थित हनुमान मंदिर के पास मुनक

नहर की दीवार टूट गई। नहर की दीवार करीब 20-22 फुट तक टूटी है, जिससे नहर का पानी बहकर जेजे कलस्टर की ओर चला गया। इसी नहर से हैदरपुर, द्वारका, नांगलोई और बवाना वॉटर ट्रीटमेंट प्लांट में पानी जाता है। हैदरपुर वॉटर ट्रीटमेंट प्लांट में नहर के पानी से 240 एमजीडी, द्वारका वॉटर ट्रीटमेंट प्लांट से 50-53 एमजीडी, नांगलोई वॉटर ट्रीटमेंट प्लांट में 44 एमजीडी और बवाना प्लांट में 20 एमजीडी शुद्ध पानी का उत्पादन कर सप्लाई किया जाता है। चारों प्लांटों को मिलाकर रोजाना करीब 325 एमजीडी से अधिक पानी दिल्ली के 40 विधानसभा एरिया में सप्लाई होता है। चारों प्लांटों को सुबह कच्चा पानी न मिलने के कारण गुरुवार शाम दिल्ली के कई इलाकों में सप्लाई प्रभावित रही।

पानी तीन प्लांटों में किया डायवर्ट

सीएलसी से कच्चे पानी की सप्लाई बंद होने के बाद जल बोर्ड ने दूसरी नहर डीएसबी से हैदरपुर, बवाना और नांगलोई वॉटर ट्रीटमेंट प्लांट में भेजा। लेकिन, इस नहर की कैपेसिटी सीएलसी की तुलना में काफी कम है। इस नहर से हरियाणा 330 क्यूसेक आसपास ही पानी सप्लाई करता है। नहर से कच्चा पानी कम मिलने के कारण इन प्लांटों में पानी उत्पादन भी कम ही हो रहा है। पर्याप्त पानी उत्पादन होने के कारण तीन प्लांटों से जिन 30 विधानसभा क्षेत्रों में पानी सप्लाई होता है, उन इलाकों में लोगों को अगले कुछ दिनों तक पानी की दिक्कत होगी।

हिंदुस्तान (12-07-2024)

आफत: राजधानी की कई कॉलोनियों में पानी की आपूर्ति टप

आधी रात मुनक नहर टूटी, बवाना पानी-पानी

नई दिल्ली, वरिष्ठ संवाददाता। हरियाणा से दिल्ली तक पानी लाने वाली मुनक नहर में बुधवार देर रात करीब डेढ़ बजे बवाना के पास कटान हो गया। इस कारण बवाना की जेजे कॉलोनी के कई ब्लॉक और आसपास के क्षेत्र में तकरीबन चार फुट तक पानी जमा हो गया।

चंद घंटों में पूरे इलाके में बाढ़ जैसे हालात हो गए। इससे लोगों में दहशत पैदा हो गई। लोग बच्चों और बुजुर्गों को लेकर घर छोड़कर सुरक्षित स्थानों पर जाने लगे। स्थानीय लोगों की सूचना पर क्षेत्रीय पार्षद, पुलिस और आसपास के अन्य लोग मौके पर पहुंचे, जिन्होंने वहां मौजूद परिवारों को निकालने में मदद की। पानी में करंट उतरने की आशंका के चलते पूरे क्षेत्र में बिजली आपूर्ति बंद कर दी गई। सुबह आठ बजे के बाद नहर की मरम्मत का काम शुरू हुआ। नहर टूटने से दिल्ली की कई कॉलोनियों में पानी की आपूर्ति भी टप हो गई है।

स्थानीय लोगों ने बताया कि रात करीब एक बजे मुनक नहर पटरी का एक हिस्सा टूट गया। इससे नहर का पानी बवाना की जेजे कॉलोनी के जी, जे, के, एल और एम ब्लॉक में भर गया। पानी घरों में घुसने पर लोग गहरी नींद से जागे और जान बचाने के लिए मकानों की ऊपरी मंजिलों पर पहुंचे।

मरम्मत का कार्य चल रहा: सूचना पर पहुंची पुलिस ने तत्काल एनडीआरएफ, बाढ़ नियंत्रण विभाग



मुनक नहर टूटने से बवाना की जेजे कॉलोनी में बाढ़ जैसे हालात हैं। गुरुवार को जलजमाव के बीच से गुजरते लोग। ● संचित खन्ना

हिमाचल में भूस्खलन से 12 मार्ग बाधित

हिमाचल प्रदेश में बारिश के कारण 12 सड़कों पर वाहनों का आवागमन बंद है। वहीं, गुरुवार को चंबा जिले के भरमौर में भूस्खलन से मणिमहेश डल झील मार्ग बाधित हो गया।

और दिल्ली नगर निगम समेत संबंधित विभागों को इसकी सूचना दी। मौके पर मौजूद अधिकारी ने बताया कि हरियाणा की ओर से नहर के पानी को नियंत्रित कराया गया, जिसके बाद मरम्मत का काम शुरू हुआ।

दिल्ली में आज हल्की बारिश के आसार

मौसम विभाग का अनुमान है कि शुक्रवार को दिल्ली के ज्यादातर हिस्सों में हल्की से मध्यम बारिश हो सकती है। इस दौरान हवा की गति भी 25 से 35 किलोमीटर प्रति घंटे तक रहेगी।

‘जल्द ही हालात सामान्य हो जाएंगे’: दिल्ली की जलमंत्री आतिशी ने गुरुवार को बवाना का दौरा किया। उन्होंने कहा कि हरियाणा से मुनक नहर का पानी बंद करा दिया था। हरियाणा सिंचाई विभाग की टीम रात

बदरीनाथ मार्ग 53 घंटे से अवरुद्ध

जोशीमठ में मंगलवार से बंद बदरीनाथ नेशनल हाईवे 53 घंटे बाद भी नहीं खुल सका। गुरुवार को चट्टान का एक हिस्सा टूटने से पैदल आवाजाही भी रोक दी गई। > ब्योरा P09

से ही मौके पर मौजूद है और मरम्मत का काम चल रहा है। दिल्ली जल बोर्ड उन्हें हर मदद दे रहा है। गुरुवार देर रात तक मरम्मत कार्य पूरा कर लिया जाएगा। तब तक जलापूर्ति प्रभावित रहेगी। > नहर का कहर P02

Breach in Munak Canal leaves Bawana JJ colony inundated

Water Minister Atishi says repair work to plug the breach has started on war footing, water level has receded; functioning of four water treatment plants affected in the city due to breach in the canal that brings Yamuna water from Haryana to Delhi

The Hindu Bureau
NEW DELHI

A sub-branch of Munak Canal, which brings Yamuna water from Haryana to Delhi, breached around 12 a.m. on Thursday, flooding north-west Delhi's Bawana JJ colony.

Water Minister Atishi said repair work has started on a war footing to plug the breach and water level has receded. "The water coming into the sub-branch CLC (carrier lined channel) was diverted to another branch and flow of water in the CLC has almost stopped. Various departments have been coordinating to pump out water from the colony," Ms. Atishi said after visiting the area. "We are hopeful that things will normalise in Bawana JJ colony by evening. Power supply to the area has been shut down due to the waterlogging since there was a risk of electrocution," she added.

The Minister said that the breach in Munak Canal, which brings raw water to Delhi, affected four water treatment plants in Delhi. While production at the Bawana, Nangloi and Hyder-

pur plants was expected to normalise by Thursday, the Dwarka water treatment plant will remain affected till Friday morning, Ms. Atishi said, adding that they were hopeful that water supply in Dwarka will resume by Friday evening. She said the canal is maintained by the Haryana government and an inquiry will be conducted by the Irrigation departments of Delhi and Haryana into the reason behind the breach.


Meanwhile, a letter issued by the Lieutenant-Governor's office to the Chief Secretary said that the breach underlines the absence of adequate maintenance of the canal, which "should have been undertaken by the Delhi Jal Board (DJB) through Haryana Irrigation Department from time to time".

While there was no official statement from the L-G's office, sources in Raj Niwas said L-G V.K. Saxena had earlier flagged the matter of repair and maintenance of Munak Canal. Raj Niwas officials said the L-G also directed the DJB CEO to reach the spot along with his team of engineers and coordinate with the Haryana

government to ensure the restoration of the canal at the earliest. He also asked NDRF teams to immediately evacuate the affected people, and the Irrigation and Flood Control Department to deploy pumps to drain out water at the earliest and provide additional boats to NDRF as required, according to the letter. Mr. Saxena, officials said, directed the Delhi Urban Shelter Improvement Board to make arrangements for relief and rehabilitation measures.

War of words

As a political war of words ensued following the breach in the canal, senior AAP leader Saurabh Bharradwaj said it was the duty of the Haryana government to maintain the sub-canal. BJP's North West Delhi MP Yogendra Chandoliya accused the AAP-led Delhi government and the Municipal Corporation of Delhi (MCD) of not responding adequately. He said calls were made to the MCD, DJB and Irrigation and Flood Control Department but only seven pumps were installed after 11 a.m., which was insufficient.



In deep waters: Residents of JJ colony waded through a flooded lane in north-west Delhi's Bawana on Thursday. PTI

Hindustan Times (12-07-2024)

Munak canal breach floods outer Delhi



Streets and several homes in Delhi's northern fringes were flooded on Thursday after a breach in the Munak water canal, which also threatens to hit water supply to some parts of the national capital.

Related story on page 5

SANCHIT KHANNA/HT PHOTO

Hindustan Times

(12-07-2024)

{ **MY INDIA** } FLOODS, LIGHTNING

54 killed as heavy rains pummel UP



At least 54 people in Uttar Pradesh were killed in lightning strikes, floods and snake bites between Wednesday and Thursday alone, state officials said as heavy showers pummelled several regions, swelling rivers in 16 districts. A report from the state relief commissioner's office said that 43 people died due to lightning in 20 districts, nine drowned in four districts and two died of snakebites in two districts. The flood has affected over 1.8 million people across 923 villages. Further, 191,515 hectares of agricultural land has been submerged in the flood.

→P8

Delhi Tribune (12-07-2024)

TRIBUNE NEWS SERVICE

NEW DELHI, JULY 11

A breach occurred in the embankment of a sub-branch of the Munak Canal leading to significant flooding in the Bawana area of North Delhi, in the early hours on Thursday.

Streets and houses, including the JJ clusters, were inundated with water due to the water breach. The Munak Canal, which carries water from Haryana to Delhi, saw water flowing out from the breached point, causing massive waterlogging and disrupting residents' lives.

Delhi Minister Atishi visited the site to assess the situation. At a digital press conference, the minister said the breach happened between 12 midnight and 2 am on the intervening night of Wednesday and Thursday.

"The Munak Canal is maintained by the Haryana Irrigation Department. Their team is present at the site since last night, along with a team of the Delhi Jal Board," she said.

Atishi added that the water flow to the affected branch had been diverted and repair work had commenced. Multiple agencies,



People make their way through a flooded area in Bawana; (right) repair work being done after a breach in one of the sub-branches of Munak Canal on Thursday. TRIBUNE PHOTOS

GOVT FAILED TO ACT ON TIME: CONGRESS

DPCC president Devender Yadav has urged the Delhi Government to promptly address the breach in the Munak Canal that has caused severe flooding in the JJ Colony area of Bawana. "According to local residents, water leakage at the Munak Canal was noticed last week, but the Delhi Jal Board did not take timely action to repair the damage, leading to this major breach," Yadav said. "The Delhi Government must act swiftly to prevent another water crisis and compensate those who have suffered losses," he said.

including the Delhi Development Authority (DDA), Municipal Corporation of Delhi (MCD), Delhi Jal Board (DJB) and Public Works Department (PWD) are working to pump out the

water and restore normalcy. Water Minister Atishi said that due to the embankment breaking, the production at Delhi's Haiderpur, Bawana, Dwarka, and Nangloi water treatment plants was affect-

ed and water supply was affected in many areas.

Electricity in the area was cut off due to electrocution risks which would be restored once the water receded.

The Times of India (12-07-2024)

Breach in Munak Canal, water supply affected

Hectic Efforts On To Repair Leak, Colony Flooded

Siddhanta Mishra
@timesofindia.com

New Delhi: A significant breach in Munak Canal, which transports untreated water from Haryana to several water treatment plants in the

FULL COVERAGE: P 2

capital, caused extensive flooding in the Bawana area on Thursday. The breach at midnight, spanning nearly 40 feet, was caused by erosion of the inner lining of the embankment, officials suspect as of now.

"Work on repairing the broken embankment at the Bawana entry point of the canal in Delhi is going on at a fast



Residents had to leave their waterlogged houses in Bawana Thursday even as electricity was cut off and they ran out of drinking water

pace," said water minister Atishi, who visited the site.

Quite a few blocks of a JJ colony in the area, which has both pucca constructions and shanties, have been affected badly with water entering the roads and houses.

The repairs are being carried out by Haryana irrigation department and Delhi Jal Board (DJB) with officials

hopeful that the breach in CLC — carrier line channel, one of the two lines which carry water to Delhi — will be fully repaired by Friday evening. The incident is expected to impact production at major water treatment plants, including Haiderpur, Bawana, Nangloi and Dwarka.

► Continued on P 2