

No.A-11011/2/94-Estt.XII/1175-77  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3rd August, 1995.

To

The Superintending Engineer,  
Godavari Circle,  
Central Water Commission,  
H.No.11-5-382 to 396,  
1st floor, Red Hills,  
Hyderabad - 500004.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged-establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

For (J. K. CHUGH) - I  
UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 604668

Contd..2/

12/8/95

07C

Sd/-

3.8.95

No.A-11011/2/94-Estt.XII/11 69-71  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
Krishna Circle,  
Now Hydrological Observation Circle,  
Central Water Commission,  
H.No.6-D-201, 5291,  
Chirag Ali Lane,  
P.B.No.324, G.P.O.,  
Hyderabad - (A.P.)

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission

Yours, faithfully,

Encls.:- As above.

(J. L. CHUGH)  
FOR UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 6040 60

Contd..2/-

S.No 71141

463

No.A-11011/2/94-Estt.III/1145-47  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-36.

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
Western River Circle, Nagpur,  
Now Hydrological Observation Circle,  
Vadodara,  
Central Water Commission.  
C.G.O. Complex, 3rd Floor,  
Seminary Hills, Nagpur - 440006.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

*For* T. L. CHUGH  
UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 606168

Contd..2/-

*3/8/95*

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
Canary & Southern Rivers Circle  
C.W.C. 80 Feet Road,  
1st main, T Block  
Rajaji Nagar, Bangalore - 560010

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HR) Central Water Commission.

Yours faithfully,

Encls.:- As above.

For S.L. CHUGAN - I  
UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 604068

Contd..2/

assured,  
3/2/95

7C  
Sefanb  
28.95

S. No. 5.11/ 471.  
No.A-11011/2/94-Estt.XII/1148-50  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-36.

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
Upper Yamuna Circle, New Delhi.  
Now Hydrological Observation Noida,  
Central Water Commission,  
C.S.M.R.S. Building, Hauz Khas,  
New Delhi - 16.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

For (J.L. CHUGH)  
UNDER SECRETARY - T  
CENTRAL WATER COMMISSION  
TELE.NO. 604068  
3-8-95

Contd..2/-

No.A-11011/2/94-Estt.XII /1196-98  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3 August, 1995..

To

The Superintending Engineer,  
Lower Ganga Circle,  
Now Hydrological Observation Circle,  
Central Water Commission,  
Post Maithon Dam  
District., Dhanbad, Bihar.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

(J. L. CHUGH)  
UNDER SECRETARY-T  
CENTRAL WATER COMMISSION  
TELE.NO. 604068

Contd...

received,  
A/

3/8/95

97C  
Sefamb  
3.8.95

S. No 75(I) 479  
No.A-11011/2/94-Estt.XII/1178-82  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K.Puram, New Delhi-66.

Dated, the 20th August, 1995.

To

The Superintending Engineer,  
Upper Ganga Circle, New Delhi.  
Now Hydrological Observation Circle,  
Dehradun, 516, Indira Nagar Colony,  
Near Vasant Vihar,  
Dehradun, U.P.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

For (J. L. CHUGH)  
UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 6040 68  
38.95

Contd..2/-

Mo.A-11011/2/94-Estt.XII 11166-68  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
NEI Circle,  
Now SE(NEI), Central Water Commission.  
Jamir Mansion, Nongshilliang,  
Shillong - 793014.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,  
I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

assigned,  
3/8/95

O/c For (J. L. CHOUGH)  
UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 604068  
3.8.95

Contd..2/

S. No 77 (5)  
487  
F 35  
No.A-11011/2/94-Estt.XII/1154-56  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
Planning Circle,  
Sr.NO.1065, Type - V,  
N.H. IV, Faridabad,  
pin - 121001.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above

For (J. L. CHUGH)  
UNDER SECRETARY  
CENTRAL WATER COMMISSION  
TELE.NO. 604068

Contd..2/-

33/8/95  
7C  
3.8.95

S. No 78(I)  
491  
No.A-11011/2/94-Estt.XII /1163-65  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
B.B. Circle,  
Now Hydrological Observation Circle,  
Central Water Commission,  
Nabin Nagar, Jangpath,  
Guwahati - 781024.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

For (J. L. CHUGH)  
UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 604068  
3.895  
Contd.: 2/-

S.M. 78 (J)  
495/14  
No.A-11011/2/94-Estt.II / 1193-95  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3<sup>rd</sup> August 1995.

110 C Varanasi  
S.A - 350 on p.w.  
Revised letter dated 26.8.97 at CP-222

To

110 A D.K. Bhatnagar

The Superintending Engineer,

Middle Ganga Circle,  
Now Hydrological Observation Circle,  
Central Water Commission,  
Akashdeep, 1st floor,  
Pannalal Park, Varanasi - 221002.

2 SA - 340  
Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer (HR), Central Water Commission.

Yours faithfully,

Encls.:- As above.

assigned  
11/1/95

O/C

For

J. L. CHUGH

UNDER SECRETARY - I

CENTRAL WATER COMMISSION

TELE.NO. 604066

Contd..2/

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66

Dated, the 3rd August, 1995.

To

~~The Superintending Engineer,~~

~~The Director,~~  
Technical Documentation,  
Central Water Commission,  
R.K. Puram,  
New Delhi 66.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission..

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer (TR) Central Water Commission.

Yours faithfully,

Encls.:- As above.

(J. L. CHUGH)  
UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 604068

Contd..2/

*Handwritten:*  
3/8/95  
JL  
3.8.95

503  
No. A-11011/2/94-Estt. XII /1151- 5.3  
Government of India  
Central Water Commission

Room No. 312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,

Eastern River Circle,  
Now Hydrological Observation Circle,  
Central Water Commission,  
Plot No. 25-R, Sahid Nagar,  
Behind Maharshi College of Natural Law,  
P.O., Sahid Nagar, Bhubaneswar - 751007.

Subject: Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer (HR), Central Water Commission.

Yours faithfully,

Encls.: - As above.

(J. L. CHUGH)

UNDER SECRETARY - I

CENTRAL WATER COMMISSION

TELE. NO. 604068

Contd..2/

Assigned,  
3/8/95

O/C PW  
Semb  
3.8.95

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3rd August, 1995.

To

~~The Superintending Engineer,~~  
The Director,  
Training Directorate,  
Central Water Commission,  
R.K. Puram,  
New Delhi - 66

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

For (Y.L. CHUGH)  
UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 604068

Contd..2/-

Assured,  
11/8/95

Sejanib  
3.8.95

5. No. 05(1) 107  
No.A.11011/2/94-Estt.XII/1157-59  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated, the 3rd August, 1995.

To

~~The Superintending Engineer,~~

The Director,  
P.C.P. Directorate,  
Central Water Commission,  
New Delhi - 66.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

(J. L. CHUGH)

UNDER SECRETARY - I  
FW CENTRAL WATER COMMISSION  
TELE.NO. 604068

Contd..2/-

assured,  
1/3/8/95

9/5  
3.8.95

5 mo 84 (I) 515  
No.A-11011/2/94-Estt.XII /1187-89  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-66.

Dated; the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
Meghna Circle,  
145, Panchayat Road,  
Silchar - 14.  
Assam.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer (HRM) Central Water Commission.

Yours faithfully,

Encls.:- As above.

(J.L. CHUGH)  
For UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 604068

Contd..2/

issued,  
3/8/95  
7/8/95

S. No 85 (I)

519

No. A-11011/2/94-Estt. XII / 1184-86  
Government of India  
Central Water Commission

Room No. 312, Sewa Bhawan,  
R.K. Puram, New Delhi-65.

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
Northern Circle,  
Now Mon. & Appraisal Directorate)  
Gayatri Bhawan, Suraj Nagar,  
Street No. 6, Talab-tillo,  
Jammu - 1800002.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM).  
Central Water Commission.

Encls.:- As above.

Yours faithfully,

*K.K. D.*  
(J. L. CHUGH)  
FOR UNDER SECRETARY-I  
CENTRAL WATER COMMISSION  
TELE. NO. 604068

Contd..2/

*received*  
*15/8/95*  
*57 C*  
*Schmidt*  
*2-8-95*

S. No 86 (1)  
No.A-11011/2/94-Estt.XII/1160-62  
Government of India  
Central Water Commission

Room No.312, Sewa Bhawan,  
R.K. Puram, New Delhi-56

Dated, the 3<sup>rd</sup> August, 1995.

To

The Superintending Engineer,  
Central Investigation Circle,  
Now SB, (Investigation),  
Central Water Commission.  
Gangtok,  
Sikkim - 737102.

Subject:- Revised sanctioned strength of Workcharged  
Establishment in Central Water Commission.

Sir,

I am to invite your attention to the correspondence resting with this Commission's letter of even number, dated 14.2.94 and to say that based on the data furnished by the respective Field Offices and Units at Head-Quarters, the Ministry of Water Resources have reviewed the Workcharged posts in Central Water Commission.

2. On above review, the number of posts sanctioned in each category of staff under Workcharged establishment for your office has been worked out and is tabulated in the annexure enclosed.

3. It is requested that the revised number of sanctioned posts in the respective categories may be adhered to and no fresh post created without approval of Chairman Central Water Commission.

4. This issues with the approval of Chief Engineer(HRM), Central Water Commission.

Yours faithfully,

Encls.:- As above.

Issued  
3/8/95

O/c For (J. L. CHUGH)  
UNDER SECRETARY - I  
CENTRAL WATER COMMISSION  
TELE.NO. 604068  
3.8.95

Contd..2/-